



VANSH EARTHING INDUSTRIES



vision

Our ultimate vision is to be on the paramount of earthing sector with a prime focus on delivering the best quality products to our clients. We strongly believe that good work can build long term business relationships and were ally work hard for it

value

The acceptable Earth Resistance at earth MEEB busbar shall not be more than 1 ohm. For achieving this value more than one earth pits can be installed if necessary depending upon the soil resistivity. In places where space is not available to provide parallel earth pits then longer earth rods may be provided .



EARTH PIT COVER (All Size Available)



MS Chamber



CI Chamber



FRP Chamber



PVC Chamber

ELECTRODE (ALL SIZE AVAILABLE)



Solid Copper Bonded



Copper Bonded



GI Electrode

Solar Earthing Kit



Copper Bonded Lightning Arrester
(All Size Available)

Backfill Compound
(BFC)

Solid Copper Bonded
(All Size Available)



PVC Earthpit Chamber
(All Size Available)



Vansh Earthing Industries

(Advanced Backfill Compound)

mail id- v.earthingindustries@yahoo.com

Mob. No. 8850979549 / 9324163458



NET WEIGHT : 25 Kg

Lightning areester



Lightning Arrester (107 mtr)



Copper Bonded Lightning Arrester



Pure Copper Lightning Arrester

Copper strip & GI Strip
with Installation Available



Aviation Light & installation Available



Digital Earthing Testing



Vansh Earthing Industries

(Advanced Backfill Compound)

mail id- v.earthingindustries@yahoo.com

Mob. No. 8850979549 / 9324163458



NET WEIGHT : 25 Kg

BFC Chemical Bag 25 kg



Installation

&

Supply

(Both)



CLIENT

- SHAPOORJI PALLONJI CONSTRUCTION PVT. LTD.
- RAHEJA UNIVERSAL.
- SHATABDI HOSPITALKANDIVALI.
- SRA PROJECT.
- CHANDAK PROJECT.
- KALPUTARU PROJECTINTERNATIONAL LTD



APPROVED BY

MSME

सूक्ष्म , लघु एवं मध्यम उद्यम
MICRO, SMALL & MEDIUM ENTERPRISES



- ◆ Contact Us

- 8850979549/9324163458
- sales@vanshearthing.com
- Pirani Compound, Ambawadi, Dahisar, (E)

